

**SMART Recovery Bibliography
(January 2017)**

**Compiled by Rita Chaney and William White
(with assistance from Dr. Joe Gerstein, Dr. F. Michler Bishop,
Dr. Tom Horvath, & Shari Allwood)**

- Adamson, D. M., & Ahmed, A. G. (2011). *Addiction and co-occurring disorders from a SMART Recovery perspective: A manual for group therapists*. Mentor, OH: SMART Recovery.
- Allen, R. A. (Ed.). (2015). *SMART Recovery family & friends handbook*. Mentor, OH: SMART Recovery.
- Allwood, S., & White, W. (2011). *A chronology of SMART Recovery*[®]. Posted at www.williamwhitepapers.com
- Anderson, K., & Petrolito, L. (2013). KL Design SMART Recovery 4-Point Program eGuide Project documentation. *Graduate Annual*, 1, Article 4. Available at: <http://digitalcommons.lasalle.edu/graduateannual/vol1/iss1/4>
- Aslan, L., Parkman, T. J., & Skagerlind, N. (2016). An evaluation of the mutual aid facilitation sessions pilot program, "You do the MAFS." *Journal of Groups in Addiction & Recovery*, 11(2), 109-124.
- Atkins, Jr., R. G., & Hawdon, J. E. (2007). Religiosity and participation in mutual-aid support groups for addiction. *Journal of Substance Abuse Treatment*, 33(3), 321-331.
- Aydin, E., Kevin, M., Xie Z. and Perry, V. (2011). "Evaluation of the Getting SMART Program. Study One: Factors impacting on program completion", *Corporate Research Evaluation and Statistics, Corrective Services NSW, RP Vol. 53* June, ISSN 0813 5800.
- Aydin, E., Kevin, M., Xie, Z., & Perry, V. (2011). *Evaluation of the getting SMART program. Study one: Factors impacting on program completion (Research Publication No. 53)*, Corporate Research Evaluation and Statistics, Sydney: NSW Department of Corrective Services.
- Beck, A. K., Baker, A., Kelly, P. J., Deane, F. P., Shakeshaft, A., Hunt, D., & Kelly, J. F. (2016, May). Protocol for a systematic review of evaluation results for adults who have participated in 'SMART recovery' mutual support programme. *BMJ Open*, 6(5), e009934.
- Beck, A. K., Baker, A. L., Kelly, P. J., Shakeshaft, A., Deane, F. P., & Hunt, D. (2015, November). Exploring the evidence: A systematic review of SMART Recovery evaluations. *Drug and Alcohol Review*, 34, 7-7.
- Beck, A.K., Forbes, E., Baker, A., Kelly, P., Deane, F., Shakeshaft, A, Hunt, D., & Kelly, J. (2017). Systematic review of SMART Recovery: Outcomes, process variables, and implications for research. *Psychology of Addictive Behaviors*, 31(1), 1-20.

- Bennett, A., & Hunter, M. (2016). Implementing evidence-based psychological substance misuse interventions in a high secure prison based personality disorder treatment service. *Advances in Dual Diagnosis, 9*(2/3), 108-116.
- Best, D. (2012). *Addiction recovery: A movement for social change and personal growth in the UK*. Brighton: Pavilion Publishing.
- Best, D., Albertson, K., Irving, J., Lightowlers, C., Mama-Rudd, A., & Chaggar, A. (2015). *The UK Life in Recovery Survey 2015: The first national UK survey of addiction recovery experiences. Project Report*. Sheffield, UK: Sheffield Hallam University, Helena Kennedy Centre for International Justice.
- Best, D. W., Haslam, C., Staiger, P., Dingle, G., Savic, M., Bathish, R., . . . Lubman, D. I. (2016). "Social networks and recovery (SONAR): characteristics of a longitudinal outcome study in five therapeutic communities in Australia." *Therapeutic Communities: The International Journal of Therapeutic Communities, 37*(3), 131-139.
- Bishop, F. M. (1995). Rational-emotive behavior therapy and two self-help alternatives to the 12-step model. In A. M. Washton (Ed.), *Psychotherapy and substance abuse: A practitioner's handbook*, (pp. 141-160). New York: Guilford Press.
- Bishop, F., Tate, P., Horvath, A., & Robb, H. (1995). SMART Recovery/Rational/Recovery update. *The Addictions Newsletter, Division 50, 2*(2).
- Blatch, C., O'Sullivan, K., Delaney, J. J., & Rathbone, D. (2016). Getting SMART, SMART Recovery programs and reoffending. *Journal of Forensic Practice, 18*(1), 3-16.
- Blatch, C., O'Sullivan, K., Rathbone, D., & Delaney, J. (2014). The impact of the custody-based Getting Smart and SMART Recovery programs on re-offending. *Drug and Alcohol Review, 33*, 8.
- Brooks, A. J., & Penn, P. E. (2009). Comparing treatments for dual diagnosis: Twelve-Step and Self-Management and Recovery Training. *The American Journal of Drug and Alcohol Abuse, 29*(2), 359-383.
- Campbell, W., & Delaney, H. (2013). Overcoming addictions, a web-based application, and SMART Recovery, an online and in-person mutual help group for problem drinkers, part 1: three-month outcomes of a randomized controlled trial. *Journal of Medical Internet Research, 15*(7), e134. Available at: <http://dx.doi.org/10.2196%2Fjmir.2565>
- Campbell, W., Hester, R. K., Lenberg, K. L., & Delaney, H. D. (2016). Overcoming Addictions, a web-based application, and SMART Recovery, an online and in-person mutual help group for problem drinkers, Part 2: Six-Month outcomes of a randomized controlled trial and qualitative feedback from participants. *Journal of Medical Internet Research, 18*(10), 2-22.

- Campbell, W. P., IV. (2016). A new kind of therapeutic relationship: Exploring factors that influence the effectiveness of computer-delivered interventions for alcohol use disorders. (Doctoral dissertation, University of New Mexico). Retrieved from repository.unm.edu/handle/1928/31709
- Carruthers, R. P. (2016). *Addiction professionals and SMART Recovery (RTM): Discriminants between referring to and not referring to this twelve-step alternative program*. Available from ProQuest Dissertations and Theses database. (UMI No. 10124831)
- Chou, C.-C., Robb, J. L., Clay, M. C., & Chronister, J. A. (2013). Social support as a mediator between internalized stigma and coping behaviors of individuals with substance abuse issues. *Rehabilitation Research, Policy, and Education*, 27(2), 104-107(4).
- Crawford, M. (2016). *An analysis of substance-abuse treatment programs: Comparing the efficacy of treatment between SMART Recovery and Alcoholics Anonymous at the duration of 30, 60, and 90 days on the SASSI-3*. Available from ProQuest Dissertations and Theses database. (UMI No. 10117357)
- Delaney, J. J., & Rathbone, D. (2016). Getting SMART, SMART Recovery programs and reoffending. *Journal of Forensic Practice*, 18(1), 3-16.
- Enos, G. (2011). Senate appropriations committee rejects SAMHSA's 'new vision'. *Alcoholism & Drug Abuse Weekly*, 2.
- Frings, D., Collins, M., Long, G., Pinto, I. R., & Albery, I. P. (2016). A test of the Social Identity Model of Cessation Maintenance: The content and role of social control. *Addictive Behaviors Reports*, 3, 77-85.
- Getting SMART Program, Facilitator Manual* (2013). Offender Services and Programs Branch, Corrective Services New South Wales. Sydney, Australia.
- Gerstein, J. (1998). Rational Recovery, SMART Recovery, and non-twelve-step recovery programs. In A. W. Graham & T. K. Schultz (Eds.), *Principles of Addiction Medicine*, (2nd ed., pp. 719-723). Chevy Chase, MD: American Society of Addiction Medicine.
- Goemans, D.J. (2015). Self-Management and Recovery Training: A SMART humanistic approach to addiction recovery, *The Humanist*, 75(3), 12-17.
- Guarnotta, E. (2015). *A comparison of abstinence and perceived self-efficacy for individuals attending SMART Recovery and Alcoholics Anonymous*. Available from ProQuest Dissertations and Theses database. (UMI No. 3681156)
- Hardin, R. (Ed.), Abbott, W., Braastad, J., Frahm, J., Lindel, R., Phillips, R., & Steinberger, H. (2013). *SMART Recovery handbook* (third edition). Mentor, OH: Alcohol & Drug Abuse Self-Help Network, Inc. dba SMART Recovery.

- Henry-Edwards S. (2009, March). *Getting SMART: Enabling offenders in the NSW Department of Corrective Services to understand SMART Recovery*. Symposium conducted at the Australian Institute of Criminology Conference, Making a Difference: Responding to Need in Developing, Implementing and Evaluating Correctional Programmes, Melbourne.
- Hester, R., Campbell, W., Lenberg, K., & Delaney, H. (2013). Claiming positive results from negative trials: A cause for concern in randomized controlled trial research - Author's reply. *Journal of Medical Internet Research, 15*(8), e180.
- Hester, R., Lenberg, K., Campbell, W., & Delaney, H. (2013). Overcoming Addictions, a web-based application, and SMART Recovery, an online and in-person mutual help group for problem drinkers, part 1: three-month outcomes of a randomized controlled trial. *Journal of Medical Internet Research, 15*(7), 45-59. Available at: <http://dx.doi.org/10.2196%2Fjmir.2565>
- Hester, R., Lenberg, K., Campbell, W., & Delaney, H. (2013). Overcoming Addictions and SMART Recovery: Outcomes of a randomized clinical trial. *Alcoholism--Clinical and Experimental Research, 15*(7), e134.
- Hiance, D., Doogan, N., Warren, K., Hamilton, I. M., & Lewis, M. (2012). An agent-based model of lifetime attendance and self-help program growth. *Journal of Social Work Practice in the Addictions, 12*(2), 121-142.
- Horvath, T. (1996). Is SMART as effective as AA? *SMART Recovery: News and Views, 1-2*.
- Horvath, T. (2000). "SMART Recovery®: addiction recovery support from a cognitive-behavioral perspective." *Journal of Rational-Emotive and Cognitive-Behavior Therapy, 18*(3), 181-191.
- Horvath, T. A. (2006). Substitute addictions (Presidents letter). *Smart Recovery News & Views*, page unknown.
- Horvath, T. (2013). "SMART Recovery—self help for substance abuse and addiction." Retrieved December 2013 from smartrecovery.org website at <http://blog>
- Horvath, A. T. & Bishop, F. M. (eds.) (1996). *S.M.A.R.T. Recovery Coordinator's Manual*. Beechwood, OH: SMART. Recovery.
- Horvath, A. T. & Bishop, F.M. (eds.) (1996). *S.M.A.R.T. Recovery Member's Manual*. Beechwood, OH: SMART. Recovery.
- Horvath, A.T. & Sokoloff, J. (2011). Individuals seeking non-12-step recovery. In G.W. Lawson & A.W. Lawson (Eds.) *Alcoholism & substance abuse in diverse populations*. (2nd ed., pp. 75-90). Austin, TX: PRO-ED.
- Horvath, A. T., & Yeterian, J. (2012). SMART Recovery: Self-empowering, science-based addiction recovery support. *Journal of Groups in Addiction & Recovery, 7*(2-4), 102-117.

- Humphreys, K. (2003). *Circles of recovery: Self-help organizations for addictions*. Cambridge: Cambridge University Press.
- Humphreys, K., & Lembke, A. (2014). Recovery-oriented policy and care systems in the UK and USA. *Drug and Alcohol Review, 33*(1), 13-18.
- Humphreys, J., Mankowski, E. S., Moos, R. H., & Finney, J. W. (1999). Do enhanced friendship networks and active coping mediate the effect of self-help groups on substance abuse? *Annals of Behavioral Medicine, 21*(1), 54-60.
- Humphreys, K., Wing, S., McCarty, D., Chappel, J., Gallant, L., Haberle, B., . . . Weiss, R. (2004). Self-help organizations for alcohol and drug problems: Toward evidence-based practice and policy. *Journal of Substance Abuse Treatment, 26*(3), 151-158.
- Hunt, D. (2014). SMART Recovery Australia: New innovations for a new era of community 'mutual-aid' in the addictions. *Drug and Alcohol Review, 33*, 32-33.
- Hunt, D., Freeman, J., Kelly, P. J., Deane, F. P., Baker, A. L., & Shakeshaft, A. (2015, November). Putting the "mutual" in mutual-aid: How stakeholder feedback informed SMART Recovery Australia's new developments in 2015. *Drug and Alcohol Review, 34*, 8-8.
- Hynoski, T., Kelly, P. J., Deane, F. P., & Baker, A. L. (2014). Intentions and use of therapeutic homework plans amongst SMART Recovery group facilitators. *Drug and Alcohol Review, 33*, 8-9.
- InsideOut, SMART Recover Correctional Program* (2004). Originally published by Inflexxion, Inc., Newton, MA. Copyright now owned by SMART Recovery, Mentor, OH. Funded by NIDA. Consists of Facilitator Manual (244 pp.), Participant Manual (114 pp.) [Also available in Spanish Version: Dentro Y Fuera]; Male and/or Female Videos and a Facilitator video.
- Kelly, J. F., Stout, R., Zywiak, W., & Schneider, R. (2006). A 3-year study of addiction mutual-aid group participation following intensive outpatient treatment. *Alcoholism-Clinical and Experimental Research, 30*(8), 1381-1392.
- Kelly, J. F., & White, W. L. (2012). Broadening the base of addiction mutual-help organizations. *Journal of Groups in Addictions & Recovery, 7*(2-4), 82-101.
- Kelly, P. J., Baker, A., & Deane, F. P. (2015, May). *Understanding the active ingredients of SMART Recovery: Perceptions of group members and group facilitators*. Alcohol, Other Drugs, Behavioural Addictions: Prevention, Treatment and Recovery: Presented at ADDICTION 2015. The Australian & New Zealand Addiction Conference, Gold Coast, Australia.
- Kelly, P. J., Baker, A. L., Deane, F. P., Shakeshaft, A., Hunt, D., & Raftery, D. (2015, November). SMART Recovery facilitators: Attitudes and use of SMART Recovery tools. Presented at the SMART Recovery Australia Treatment Symposium. *Drug and Alcohol Review, 34*, pp. 7-7.

- Kelly, P. J., Baker, A. L., Deane, F. P., Shakeshaft, A., Hunt, D., Raftery, D., . . . Freeman, J. (2015, November). SMART Recovery Australia Treatment Symposium: The evidence base worldwide, and how research into facilitators' and other stakeholders experience of the groups informed program development. *Drug and Alcohol Review*, 34, 7-7.
- Kelly, P. J., Blatch, C., Deane, F. P., & Baker, A. L. (2014). SMART Recovery: New research directions. *Drug and Alcohol Review*, 33, (Suppl S1), 7-8.
- Kelly, P. J., Deane, F. P., & Baker, A. L. (2014). Predicting the use of cognitive and behavioral skills by participants attending SMART Recovery groups. *Drug and Alcohol Review*, 33, (Suppl S1), 8.
- Kelly, P. J., Deane, F. P., & Baker, A. L. (2015). Group cohesion and between session homework activities predict self-reported cognitive-behavioral skill use amongst participants of SMART Recovery groups. *Journal of Substance Abuse Treatment*, 51, 53-58.
- Kelly P. J., Raftery, D., Deane, F. P., Baker, A. L., Hunt, D., & Shakeshaft, A. (2016). From both sides: Participant and facilitator perceptions of SMART Recovery groups. *Drug and Alcohol Review*, in press. doi: <http://dx.doi.org/10.1111/dar.12416>
- Kevin, M. (2011). *Corrections Treatment Outcome Study (CTOS) on offenders in drug treatment: Results from the Drug Summit demand reduction residential programs*. (Research Bulletin No. 31). Sydney, Australia: Corrective Services NSW, Corporate Research, Evaluation & Statistics.
- Knaus, W. (1997). *SMART Recovery: A sensible primer*. City Unknown: William Knaus.
- Knaus, W. J. (2000). *SMART Recovery: A sensible primer*. City Unknown: William Knaus.
- Konopa, J. B., Chiauzzi, E., Portnoy, D., & Litwicki, T. M. (2002). Recovery from the inside out: A cognitive approach to rehabilitation. *Corrections Today Magazine*, 64(5). 56-112.
- Lemanski, M. (2000). Addiction alternatives for recovery. *Humanist*, 60(1), 14-17.
- Lemanski, M., National Institute on Drug Abuse, & Addiction Research Center (US). (2001). *History of addiction and recovery in the United States*. Tucson, AZ: See Sharp Press.
- Li, E. C., Feiffer, C., & Strohm, M. (2000). A pilot study: Locus of control and spiritual beliefs in Alcoholics Anonymous and SMART Recovery members. *Addictive Behaviors*, 25(4), 633-640.
- Li, E., Strohm, M., & Feifer, C. (1998). A cross-sectional comparison of locus of control in Alcoholics Anonymous & SMART Recovery treatment groups. *Journal of Addictive Diseases*, 17(2), 153-163.
- Litwicki, T., & White, W. L. (2014). A conceptual review of the integration of professional practices within mutual-aid organizations. *Journal of Groups in Addiction & Recovery*, 9(3), 237-256.

- MacGregor, S., & Herring, R. (2010). *The Alcohol Concern SMART Recovery Pilot Project final evaluation Report*. Accessed March 13, 2014 at: http://www.alcohollearningcentre.org.uk/library/Alcohol_Concern_SMART_Project_-_Final_Evaluation_Report_2010.pdf
- McHale, S., & Ryan, S. (2015). Continuing care: Improving wellbeing. *Drug and Alcohol Review*, 34, 43-44.
- Mendola, A. & Gibson, R.L. (2017). Addiction, 12-step programs, and evidentiary standards for ethically and clinically sound treatment recommendations: What should clinicians do? *AMA Journal of Ethics*, 18(6), 646-655.
- Miller, P., O'Reilly, J., & Jarvis, M. (2010). News and notes. *Addiction*, 105(7), 1318-1321.
- Mundy, J (2009). Selling the service. *Of Substance: The National Magazine on Alcohol, Tobacco and Other Drugs*, 7(1), 28-29.
- Nowinski, J. (2003). Self-help groups. In J. L. Sorensen, R. A. Rawson, J. Guydish, & J. E. Zweben (Eds.), *Drug abuse treatment through collaboration: Practice and research partnerships that work* (pp. 55-70). Washington, DC: American Psychological Association.
- Orr, A. D. (1996, August). SMART Recovery: A new approach to self-help. *Epikrisis*, p. 3.
- O'Sullivan, D., Blum, J. B., Watts, J., & Bates, J. K. (2015). SMART Recovery: Continuing care considerations for rehabilitation counselors. *Rehabilitation Counseling Bulletin*, 58(4), 203. doi: 10.1177/0034355214544971
- O'Sullivan, D., Watts, J. R., Xiao, Y., & Bates-Maves, J. (2016). Refusal self-efficacy among SMART Recovery members by affiliation length and meeting frequency. *Journal of Addictions & Offender Counseling*, 37(2), 87-101.
- Overstreet, E. (2014). Review of addiction and co-occurring disorders from a SMART Recovery perspective: A manual for group therapists. *Journal of Groups in Addiction & Recovery*, 9(1), 86-87.
- Parkman, T. J. (2014). "My actual mind and body is in a better place, I just feel better since coming here": recovery and mental wellbeing, *Advances in Dual Diagnosis*, 7(4), 194-204.
- Parkman, T. J., Lloyd, C., & Splisbury, K. (2015, April-June). Self-help groups for alcohol dependency: A scoping review. *Journal of Groups in Addiction & Recovery*, 10(2), 102-124. doi: 10.1080/1556035X.2015.1034824.
- Penn, P. E., Brooke, D., Brooks, A. J., Gallagher, S. M., & Barnard, A. D. (2016). Co-Occurring conditions clients and counselors compare 12-Step and SMART Recovery mutual help. *Journal of Groups in Addiction & Recovery*, 11(2), 76-92.

- Penn, P. E., & Brooks, A. J. (2000). Five years, twelve steps, and REBT in the treatment of dual diagnosis. *Journal of Rational-Emotive and Cognitive-Behavior Therapy*, 18(4), 197-208.
- Penn, P., Brooks, A. J., Gallagher, S. M., & Brooke, D. (2014). SMART Recovery®: An effective group method for co-occurring conditions in community treatment. *Drug and Alcohol Dependence*, 140, e173. doi:10.1016/j.drugalcdep.2014.02.486
- Powis, B., Walton, C., & Randhawa, K. (2014). *Drug Recovery Wings set up, delivery and lessons learned: Process study of First Tranche DRW Pilot Sites*. UK: Ministry of Justice Analytical Series. National Offender Management Service. Operational Services and Interventions Group.
- Rooke, C., Jones, B., & Thomas, M. (2014). Involving service users in delivering alcohol addiction therapy. *Nursing Standard*, 28(42), 44-48.
- Ross, F. (n.d.). *Recovery and change from offending behavior using a recovery management model under a recovery-oriented systems of care*. Personal submission to the Prison's Commission, Government of Scotland.
- Silva, J. A. (2012). *A proposal for a compassion-based recovery program for chemical dependence* (Unpublished doctoral dissertation, University of Texas at Austin, 2012).
- SMART Recovery. (1996). *Member's manual*. Beechwood, OH: SMART Recovery.
- SMART Recovery. (2006). *Self-management and recovery training*. Mentor, OH: SMART Recovery.
- SMART Recovery© Australia, Facilitator Training Manual. (2011). SMART Recovery, Australia, Ltd. Sydney, Australia, available at: <http://www.smartrecoveryaustralia.com.au> (accessed November 19 2014).
- SMART Recovery. (2012). *Introduction to SMART Recovery*. Mentor, OH: SMART Recovery.
- SMART Recovery, other AA alternatives see gradual interest among SA agencies. (2009, March 16). *Alcoholism & Drug Abuse Weekly*, 21(11), 1, 6-7.
- SMART Recovery Handbook* (2007), 2nd Ed. Henry Steinberger, Editor. Translations into German, Spanish, Portuguese, Danish, Swedish, Arabic, Farsi, Mandarin Chinese, Vietnamese. Available from SMART Recovery, Mentor, OH.
- SMART Recovery Participant Handbook for [Australian] Aboriginals & Torres Strait Islanders* (2013). SMART Recovery Australia; Sydney, Australia.
- Steinberger, H. (2004). *SMART Recovery handbook*. Mentor, OH: SMART Recovery.
- Stidham, A. (2013). *A review of the Matrix Model of Intensive Outpatient Treatment, SMART Recovery Program, and Alcoholics Anonymous* (Unpublished doctoral dissertation, Pennsylvania State University, 2013).

- Strohm, M. (2000). A pilot study: Locus of control and spiritual beliefs in Alcoholics Anonymous and SMART Recovery members. *Addictive Behaviors*, 25(4), 633-640.
- Tavares, H. (2004). The Gambling and Other Impulse Control Disorders Outpatient Unit in Sao Paulo, Brazil: Integrating treatment and research. *Journal of Gambling Issues*, 11, pages unknown. (Application of SMART Recovery to address compulsive gambling.)
- Trumble, R. G. (2015). *Comparison of drinking-related locus of control in Alcoholics Anonymous members and SMART Recovery participants*. (Unpublished doctoral dissertation, The University of the Rockies, 2015).
- Velten, E. (1996). The rationality of Alcoholics Anonymous and the spirituality of rational emotive behavior therapy. *Journal of Humanistic Education & Development*, 35(2), 105-116.
- Werner, M. (2015). Smart thinking: The humanist approach to addiction and our heritage in psychology *The Humanist*, 75(3), 18-20.
- White, W. L. (2004). Addiction recovery mutual aid groups: An enduring international phenomenon. *Addiction*, 99(5), 532-538.
- White, W. (2012a). *The history of SMART Recovery: An interview with Joe Gerstein, M.D.* Posted at www.williamwhitepapers.com
- White, W. (2012b). *The history of SMART Recovery: An interview with Tom Horvath, PhD.* Posted at www.williamwhitepaperws.com and www.facesandvoicesofrecovery.org
- White, W. (2013). SMART Recovery: An interview with Tom Litwicki, M.Ed., LISAC. Posted at www.williamwhitepapers.com
- White, W. (2013). The history of SMART Recovery in the UK: An interview with Richard Phillips. Posted at www.williamwhitepapers.com
- White, W., & Nicolaus, M. (2005). Styles of secular recovery. *Counselor*, 6(4), 58-61.
- Zemore, S. E. (2016, June). *Is AA best?: Comparing the nature and effectiveness of 12-Step groups to Women for Sobriety, LifeRing, and SMART Recovery in a large, national study*. Paper presentation, annual convention of the Research Society on Alcoholism, New Orleans, LA.
- Zemore, S. E., Kaskutas, L. A., Mericle, A., & Hemberg, J. (2017). Comparison of 12-Step groups to mutual help alternatives for AUD in a large, national study: Differences in membership characteristics and group participation, cohesion, and satisfaction. *Journal of Substance Abuse Treatment*, 73, 16-26. doi: 10.1016/j.jsat.2016.10.004